

Table 1.73A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	109,230 ^a	111,071	35,062	34,924	19,496	19,395
NOT HISPANIC OR LATINO¹	98,036	99,586	30,681	30,693	17,264	17,056
White	81,059	82,084	24,732	24,696	13,920	13,568
Black or African American	11,986	12,451	4,360	4,341	2,493	2,598
American Indian or Alaska Native	824	764	262	305	150	161
Native Hawaiian or Other Pacific Islander	305	360	115	132	59	84
Chinese	408	516	107	112	52	62
Filipino	578	585	134	137	73	65
Japanese	367	*	38	51	19	30
Asian Indian	330	400	118	114	57	54
Korean	297	278	138	97	62	37
Vietnamese	208	248	77	89	40	*
HISPANIC OR LATINO¹	11,194	11,485	4,381	4,231	2,231	2,339
Mexican	7,553	7,245	2,940	2,643	1,495	1,387
Puerto Rican	1,471	1,499	586	522	343	337
Central or South American	1,244	1,254	472	463	207	258
Cuban	359 ^a	519	148	204	80	101

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.73B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	46.2	45.9	14.8	14.4	8.2	8.0
NOT HISPANIC OR LATINO¹	47.4	47.4	14.8	14.6	8.3	8.1
White	48.9	49.0	14.9	14.8	8.4	8.1
Black or African American	44.2	44.0	16.1	15.3	9.2	9.2
American Indian or Alaska Native	60.2	59.6	19.1	23.8	11.0	12.6
Native Hawaiian or Other Pacific Islander	46.8	53.6	17.6	19.6	9.1	12.5
Chinese	19.3	21.3	5.1	4.6	2.5	2.5
Filipino	27.5	31.5	6.4	7.4	3.5	3.5
Japanese	43.5	*	4.5	6.1	2.3	3.6
Asian Indian	16.5	16.2	5.9	4.6	2.9	2.2
Korean	37.5	36.8	17.4	12.8	7.8	4.9
Vietnamese	25.4	30.4	9.4	10.9	4.9	*
HISPANIC OR LATINO¹	38.0	36.4	14.9 ^a	13.4	7.6	7.4
Mexican	38.8 ^a	35.8	15.1 ^b	13.1	7.7	6.9
Puerto Rican	46.3	45.7	18.5	15.9	10.8	10.3
Central or South American	30.7	28.7	11.7	10.6	5.1	5.9
Cuban	28.3	37.6	11.7	14.8	6.3	7.3

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.74A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	7,637 ^b	7,294	5,475 ^b	5,171	2,845 ^b	2,592
NOT HISPANIC OR LATINO¹	6,387 ^b	6,025	4,628 ^b	4,319	2,412 ^b	2,170
White	4,864 ^b	4,477	3,645 ^b	3,299	1,895 ^b	1,641
Black or African American	1,095	1,116	695	744	359	390
American Indian or Alaska Native	86	82	62	58	37	37
Native Hawaiian or Other Pacific Islander	*	*	16	14	10	7
Chinese	30	35	19	22	7	14
Filipino	48	39	27	14	15	5
Japanese	7	*	4	*	2	*
Asian Indian	30	48	25	28	13	9
Korean	18	16	11	11	3	6
Vietnamese	25	*	12	*	4	*
HISPANIC OR LATINO¹	1,250	1,269	846	852	433	423
Mexican	894	908	599	614	311	290
Puerto Rican	142	131	101	99	65	59
Central or South American	128 ^a	93	91 ^a	56	31	29
Cuban	40	43	26	26	*	13

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.74B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	30.7 ^b	28.8	22.0 ^b	20.5	11.4 ^b	10.3
NOT HISPANIC OR LATINO¹	30.6 ^b	28.7	22.2 ^b	20.6	11.6 ^b	10.3
White	31.3 ^b	29.0	23.4 ^b	21.3	12.2 ^b	10.6
Black or African American	29.8	29.1	18.9	19.4	9.8	10.2
American Indian or Alaska Native	47.2	49.9	34.1	35.5	20.2	22.7
Native Hawaiian or Other Pacific Islander	*	*	20.7	18.9	12.7	9.9
Chinese	14.1	17.9	8.6	11.1	3.2	7.2
Filipino	28.9	22.6	16.4 ^a	8.1	8.9 ^a	2.7
Japanese	14.4	*	8.9	*	3.7	*
Asian Indian	14.4	18.4	11.9	10.9	6.4	3.5
Korean	19.7	14.5	11.6	9.8	2.7	5.4
Vietnamese	21.7	*	10.8	*	3.8	*
HISPANIC OR LATINO¹	31.3	29.4	21.2	19.8	10.8	9.8
Mexican	31.4	30.4	21.1	20.5	10.9	9.7
Puerto Rican	29.9	27.4	21.4	20.6	13.7	12.4
Central or South American	29.5 ^a	21.9	21.0 ^b	13.1	7.2	6.7
Cuban	33.7	30.5	21.4	18.2	*	9.3

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.75A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	18,878	19,133	10,988	11,015	6,349	6,391
NOT HISPANIC OR LATINO¹	16,008 ^a	16,315	9,468	9,486	5,520	5,536
White	12,660	12,920	7,570	7,613	4,420	4,424
Black or African American	2,261	2,384	1,283	1,338	760	810
American Indian or Alaska Native	156	139	94	78	60	43
Native Hawaiian or Other Pacific Islander	96	81	55	41	22	27
Chinese	89	109	39	61	18	37
Filipino	137	96	69	44	40	23
Japanese	*	*	22	*	8	*
Asian Indian	91	92	45	41	19	21
Korean	83	80	45	40	26	14
Vietnamese	46	42	*	16	*	*
HISPANIC OR LATINO¹	2,870	2,818	1,519	1,529	829	855
Mexican	1,994	1,923	996	985	535	519
Puerto Rican	348	315	205	188	121	127
Central or South American	321	273	178	156	97	87
Cuban	82	78	58	55	28	33

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.75B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	60.2 ^a	59.2	35.0 ^a	34.1	20.2	19.8
NOT HISPANIC OR LATINO¹	62.0	61.3	36.7 ^a	35.7	21.4	20.8
White	65.0	64.5	38.9	38.0	22.7	22.1
Black or African American	54.2	54.3	30.7	30.4	18.2	18.4
American Indian or Alaska Native	78.6	71.6	47.0	40.2	30.2	22.3
Native Hawaiian or Other Pacific Islander	58.6	62.9	33.3	32.0	13.1	21.2
Chinese	30.9	31.5	13.5	17.7	6.3	10.6
Filipino	49.9	41.7	25.0	18.8	14.4	9.9
Japanese	*	*	28.9	*	11.3	*
Asian Indian	31.6	25.8	15.5	11.4	6.7	6.0
Korean	45.0	45.6	24.5	23.1	14.1	8.2
Vietnamese	29.3	28.0	*	10.5	*	*
HISPANIC OR LATINO¹	51.5	49.1	27.3	26.7	14.9	14.9
Mexican	50.4	48.4	25.2	24.8	13.5	13.1
Puerto Rican	63.5	62.6	37.4	37.3	22.1	25.3
Central or South American	44.2 ^a	36.9	24.5	21.0	13.3	11.7
Cuban	57.1	55.3	40.4	39.3	19.6	23.2

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.76A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	82,715 ^a	84,645	18,600	18,738	10,302	10,412
NOT HISPANIC OR LATINO¹	75,641	77,246	16,585	16,888	9,332	9,350
White	63,535	64,686	13,517	13,784	7,605	7,502
Black or African American	8,630	8,951	2,383	2,259	1,374	1,398
American Indian or Alaska Native	581	543	106	169	54	81
Native Hawaiian or Other Pacific Islander	*	*	44	*	28	*
Chinese	288	372	49	29	27	11
Filipino	393	450	38	79	19	*
Japanese	325	*	12	32	9	*
Asian Indian	209	260	49	45	25	24
Korean	*	*	*	45	*	16
Vietnamese	*	192	*	*	*	*
HISPANIC OR LATINO¹	7,075	7,398	2,015	1,850	970	1,062
Mexican	4,665	4,414	1,344 ^a	1,045	649	578
Puerto Rican	982	1,052	280	235	157	151
Central or South American	795	888	202	251	79	142
Cuban	237 ^a	397	65	122	37	55

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.76B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	45.9	45.9	10.3	10.2	5.7	5.7
NOT HISPANIC OR LATINO¹	47.2	47.5	10.3	10.4	5.8	5.7
White	48.6	49.0	10.3	10.4	5.8	5.7
Black or African American	44.8	44.6	12.4	11.3	7.1	7.0
American Indian or Alaska Native	59.0	58.8	10.7 ^a	18.3	5.4	8.8
Native Hawaiian or Other Pacific Islander	*	*	10.7	*	6.8	*
Chinese	17.9	19.8	3.1	1.5	1.7	0.6
Filipino	23.7	31.0	2.3	5.5	1.1	*
Japanese	45.0	*	1.7	4.4	1.3	*
Asian Indian	13.8	14.0	3.2	2.4	1.6	1.3
Korean	*	*	*	9.7	*	3.5
Vietnamese	*	33.6	*	*	*	*
HISPANIC OR LATINO¹	35.5	34.4	10.1	8.6	4.9	4.9
Mexican	36.8 ^a	33.3	10.6 ^b	7.9	5.1	4.4
Puerto Rican	45.6	45.8	13.0	10.2	7.3	6.6
Central or South American	27.5	27.8	7.0	7.9	2.7	4.4
Cuban	23.6 ^a	36.3	6.5	11.2	3.6	5.0

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.77A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	101,593 ^a	103,777	29,588	29,753	16,651	16,803
NOT HISPANIC OR LATINO¹	91,649 ^a	93,561	26,053	26,374	14,853	14,886
White	76,195	77,607	21,087	21,397	12,025	11,927
Black or African American	10,891	11,335	3,666	3,597	2,135	2,208
American Indian or Alaska Native	738	682	200	247	114	124
Native Hawaiian or Other Pacific Islander	277	338	98	118	49	77
Chinese	377	481	88	90	45	47
Filipino	531	546	107	123	58	60
Japanese	360	*	34	46	18	27
Asian Indian	300	353	94	86	44	45
Korean	279	261	*	86	*	31
Vietnamese	184	235	65	86	*	*
HISPANIC OR LATINO¹	9,945	10,216	3,535	3,379	1,799	1,917
Mexican	6,659	6,337	2,340	2,029	1,184	1,097
Puerto Rican	1,329	1,368	485	423	278	278
Central or South American	1,116	1,161	380	407	176	229
Cuban	319 ^a	476	122	178	65	88

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.77B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	48.0	47.9	14.0	13.7	7.9	7.8
NOT HISPANIC OR LATINO¹	49.3	49.4	14.0	13.9	8.0	7.9
White	50.7	51.1	14.0	14.1	8.0	7.8
Black or African American	46.4	46.3	15.6	14.7	9.1	9.0
American Indian or Alaska Native	62.3	61.0	16.8	22.1	9.6	11.1
Native Hawaiian or Other Pacific Islander	48.2	56.3	17.2	19.7	8.6	12.9
Chinese	19.9	21.6	4.7	4.1	2.4	2.1
Filipino	27.4	32.4	5.5	7.3	3.0	3.6
Japanese	45.2	*	4.2	5.7	2.2	3.3
Asian Indian	16.7	15.9	5.2	3.9	2.4	2.0
Korean	39.9	40.7	*	13.4	*	4.8
Vietnamese	26.0	32.5	9.2	11.9	*	*
HISPANIC OR LATINO¹	39.0	37.5	13.9 ^a	12.4	7.1	7.0
Mexican	40.0 ^a	36.8	14.1 ^b	11.8	7.1	6.4
Puerto Rican	49.2	48.8	18.0	15.1	10.3	9.9
Central or South American	30.9	29.5	10.5	10.3	4.9	5.8
Cuban	27.8 ^a	38.4	10.7	14.4	5.6	7.1

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.78A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	95,778	97,159	25,493	25,413	14,611	14,601
NOT HISPANIC OR LATINO¹	87,075	88,308	22,873	22,652	13,246	13,016
White	72,636	73,437	18,469	18,146	10,770	10,314
Black or African American	10,457	10,996	3,349	3,386	1,916	2,077
American Indian or Alaska Native	674	639	199	214	114	121
Native Hawaiian or Other Pacific Islander	262	299	70	91	36	60
Chinese	289	322	51	71	18	40
Filipino	443	445	90	62	49 ^a	25
Japanese	313	*	22	34	11	30
Asian Indian	223	224	57	65	28	27
Korean	213	177	64	77	32	24
Vietnamese	96	118	23	34	8	5
HISPANIC OR LATINO¹	8,703	8,851	2,620	2,761	1,365 ^a	1,585
Mexican	5,786	5,562	1,651	1,659	841	906
Puerto Rican	1,251	1,232	414	375	227	249
Central or South American	882	888	287	311	158	179
Cuban	309	365	118	134	62	66

*Low precision; no estimate reported.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.78B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	40.5	40.2	10.8	10.5	6.2	6.0
NOT HISPANIC OR LATINO¹	42.1	42.0	11.1	10.8	6.4	6.2
White	43.8	43.9	11.1	10.8	6.5	6.2
Black or African American	38.5	38.9	12.3	12.0	7.1	7.3
American Indian or Alaska Native	49.3	49.8	14.5	16.7	8.3	9.5
Native Hawaiian or Other Pacific Islander	40.3	44.6	10.7	13.6	5.5	9.0
Chinese	13.7	13.3	2.4	2.9	0.8	1.7
Filipino	21.1	24.0	4.3	3.4	2.3	1.3
Japanese	37.1	*	2.7	4.0	1.3	3.6
Asian Indian	11.1	9.1	2.8	2.7	1.4	1.1
Korean	26.9	23.5	8.0	10.1	4.1	3.2
Vietnamese	11.7	14.4	2.8	4.1	1.0	0.6
HISPANIC OR LATINO¹	29.5	28.0	8.9	8.7	4.6	5.0
Mexican	29.7	27.5	8.5	8.2	4.3	4.5
Puerto Rican	39.4	37.5	13.1	11.4	7.1	7.6
Central or South American	21.8	20.4	7.1	7.1	3.9	4.1
Cuban	24.4	26.4	9.3	9.7	4.9	4.8

*Low precision; no estimate reported.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.79A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	4,996 ^b	4,595	3,825 ^b	3,520	1,997 ^b	1,820
NOT HISPANIC OR LATINO¹	4,219 ^b	3,826	3,266 ^b	2,985	1,725 ^b	1,540
White	3,318 ^b	2,944	2,645 ^b	2,316	1,392 ^b	1,185
Black or African American	651	654	439	489	235	261
American Indian or Alaska Native	70	53	52	42	29	26
Native Hawaiian or Other Pacific Islander	14	*	8	11	6	4
Chinese	11	15	7	13	*	9
Filipino	26 ^b	9	16	7	6	3
Japanese	2	*	2	*	1	*
Asian Indian	12	14	10	10	6	2
Korean	7	11	6	9	2	6
Vietnamese	9	*	4	*	*	*
HISPANIC OR LATINO¹	777	769	559	535	272	280
Mexican	551	550	386	382	188	194
Puerto Rican	97	82	78	63	43	37
Central or South American	69	49	55 ^a	32	21	19
Cuban	30	22	21	18	*	8

*Low precision; no estimate reported.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.79B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	20.1 ^b	18.2	15.4 ^b	13.9	8.0 ^b	7.2
NOT HISPANIC OR LATINO¹	20.2 ^b	18.2	15.6 ^b	14.2	8.3 ^b	7.3
White	21.3 ^b	19.0	17.0 ^b	15.0	9.0 ^b	7.7
Black or African American	17.7	17.0	11.9	12.8	6.4	6.8
American Indian or Alaska Native	38.4	32.5	28.6	25.5	15.9	15.8
Native Hawaiian or Other Pacific Islander	17.4	*	10.1	15.8	8.1	5.1
Chinese	5.0	7.5	3.2	6.5	*	4.6
Filipino	15.8 ^b	5.2	9.9	4.3	3.9	1.6
Japanese	5.1	*	4.5	*	2.6	*
Asian Indian	5.6	5.4	4.7	3.7	2.8	0.8
Korean	7.4	9.9	5.9	8.3	1.7	5.4
Vietnamese	7.8	*	3.6	*	*	*
HISPANIC OR LATINO¹	19.4	17.8	14.0	12.4	6.8	6.5
Mexican	19.4	18.4	13.6	12.8	6.6	6.5
Puerto Rican	20.6	17.0	16.5	13.1	9.2	7.8
Central or South American	15.9	11.5	12.6 ^a	7.5	4.9	4.4
Cuban	25.2	15.5	17.3	12.5	*	5.5

*Low precision; no estimate reported.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.80A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	16,891	17,007	9,141	9,037	5,388	5,292
NOT HISPANIC OR LATINO¹	14,502	14,703	8,005	7,900	4,766	4,660
White	11,518	11,732	6,383	6,288	3,808	3,687
Black or African American	2,032	2,124	1,119	1,175	678	724
American Indian or Alaska Native	140	124	75	65	46	39
Native Hawaiian or Other Pacific Islander	93	70	45	35	18	23
Chinese	66	68	28	42	12	27
Filipino	123 ^a	84	56	32	34	19
Japanese	*	*	16	*	7	*
Asian Indian	62	62	33	34	16	16
Korean	73	64	38	39	23	12
Vietnamese	37	33	*	14	7	*
HISPANIC OR LATINO¹	2,390	2,304	1,136	1,137	621	632
Mexican	1,627	1,542	703	701	383	353
Puerto Rican	321	281	182	158	99	107
Central or South American	253	215	133	111	72	72
Cuban	72	68	49	45	25	26

*Low precision; no estimate reported.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.80B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	53.8 ^a	52.6	29.1 ^a	27.9	17.2 ^a	16.4
NOT HISPANIC OR LATINO¹	56.2	55.3	31.0 ^b	29.7	18.5 ^a	17.5
White	59.1	58.6	32.8 ^a	31.4	19.6 ^a	18.4
Black or African American	48.7	48.3	26.8	26.7	16.2	16.5
American Indian or Alaska Native	70.2	63.9	37.6	33.7	23.1	20.1
Native Hawaiian or Other Pacific Islander	56.8	54.8	27.3	27.0	10.9	18.0
Chinese	22.9	19.7	9.8	12.1	4.2	7.8
Filipino	44.6	36.3	20.4	13.7	12.2	8.1
Japanese	*	*	21.6	*	10.0	*
Asian Indian	21.5	17.4	11.6	9.5	5.6	4.4
Korean	39.5	36.6	20.4	22.4	12.5	6.7
Vietnamese	23.7	21.8	*	9.5	4.7	*
HISPANIC OR LATINO¹	42.9 ^a	40.2	20.4	19.8	11.1	11.0
Mexican	41.1	38.8	17.8	17.6	9.7	8.9
Puerto Rican	58.6	55.7	33.2	31.3	18.1	21.2
Central or South American	34.9	29.0	18.3	15.0	9.9	9.7
Cuban	50.6	47.9	34.4	31.8	17.2	18.7

*Low precision; no estimate reported.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.81A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	73,891	75,556	12,527	12,856	7,226	7,490
NOT HISPANIC OR LATINO¹	68,354	69,779	11,602	11,767	6,754	6,816
White	57,801	58,761	9,442	9,543	5,571	5,443
Black or African American	7,773	8,218	1,791	1,722	1,003	1,092
American Indian or Alaska Native	464	461	72	107	39	56
Native Hawaiian or Other Pacific Islander	*	*	17	45	11	34
Chinese	211	239	15	16	*	4
Filipino	294	352	17	23	9	4
Japanese	282	*	4	*	2	*
Asian Indian	149	148	14	22	6	9
Korean	*	102	*	28	*	6
Vietnamese	*	79	*	16	*	*
HISPANIC OR LATINO¹	5,537	5,777	925	1,089	472 ^a	674
Mexican	3,608	3,469	562	577	270	360
Puerto Rican	833	870	155	154	84	104
Central or South American	560	624	99	168	64	89
Cuban	207	275	48	71	25	32

*Low precision; no estimate reported.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.81B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	41.0	41.0	7.0	7.0	4.0	4.1
NOT HISPANIC OR LATINO¹	42.7	42.9	7.2	7.2	4.2	4.2
White	44.2	44.5	7.2	7.2	4.3	4.1
Black or African American	40.3	40.9	9.3	8.6	5.2	5.4
American Indian or Alaska Native	47.1	49.9	7.3	11.6	4.0	6.1
Native Hawaiian or Other Pacific Islander	*	*	4.2	9.6	2.8	7.1
Chinese	13.2	12.8	1.0	0.9	*	0.2
Filipino	17.7	24.2	1.0	1.6	0.5	0.2
Japanese	39.1	*	0.6	*	0.3	*
Asian Indian	9.9	8.0	0.9	1.2	0.4	0.5
Korean	*	21.8	*	6.0	*	1.3
Vietnamese	*	13.9	*	2.9	*	*
HISPANIC OR LATINO¹	27.8	26.8	4.6	5.1	2.4	3.1
Mexican	28.4	26.2	4.4	4.3	2.1	2.7
Puerto Rican	38.7	37.8	7.2	6.7	3.9	4.5
Central or South American	19.4	19.5	3.4	5.2	2.2	2.8
Cuban	20.6	25.1	4.8	6.5	2.5	2.9

*Low precision; no estimate reported.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.82A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	90,782 ^a	92,563	21,668	21,893	12,614	12,781
NOT HISPANIC OR LATINO¹	82,856	84,482	19,607	19,667	11,520	11,476
White	69,318	70,494	15,824	15,831	9,378	9,129
Black or African American	9,805	10,342	2,910	2,897	1,681	1,816
American Indian or Alaska Native	604	585	147	173	85	96
Native Hawaiian or Other Pacific Islander	249	283	62	80	29	57
Chinese	278	307	44	58	18	31
Filipino	417	436	73	55	42	22
Japanese	311	*	20	29	10	26
Asian Indian	211	210	47	56	22	25
Korean	206	166	58	67	30	18
Vietnamese	87	112	19	31	8	5
HISPANIC OR LATINO¹	7,927	8,082	2,061	2,226	1,093 ^a	1,305
Mexican	5,235	5,012	1,265	1,278	653	712
Puerto Rican	1,154	1,151	336	312	183	211
Central or South American	813	839	232	279	136	160
Cuban	279	343	97	116	49	59

*Low precision; no estimate reported.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.82B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	42.9	42.7	10.2	10.1	6.0	5.9
NOT HISPANIC OR LATINO¹	44.5	44.6	10.5	10.4	6.2	6.1
White	46.1	46.4	10.5	10.4	6.2	6.0
Black or African American	41.8	42.3	12.4	11.8	7.2	7.4
American Indian or Alaska Native	51.0	52.4	12.4	15.5	7.2	8.5
Native Hawaiian or Other Pacific Islander	43.4	47.1	10.8	13.3	5.1	9.5
Chinese	14.6	13.8	2.3	2.6	0.9	1.4
Filipino	21.5	25.9	3.8	3.3	2.2	1.3
Japanese	39.0	*	2.6	3.6	1.2	3.3
Asian Indian	11.8	9.5	2.6	2.5	1.2	1.1
Korean	29.5	25.9	8.3	10.5	4.4	2.8
Vietnamese	12.3	15.5	2.6	4.2	1.2	0.7
HISPANIC OR LATINO¹	31.1	29.6	8.1	8.2	4.3	4.8
Mexican	31.5	29.1	7.6	7.4	3.9	4.1
Puerto Rican	42.7	41.1	12.5	11.1	6.8	7.5
Central or South American	22.5	21.3	6.4	7.1	3.8	4.1
Cuban	24.3	27.7	8.5	9.4	4.3	4.7

*Low precision; no estimate reported.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.